3. Kirsch, P. A. and Jahnle, H. A., SAE Preprint 810233, SAE Annual Meeting, Detroit, Michigan, February, 1981.
4. Provensal, J. and Cosatti, B., "Energy Dissipation of Composite Structures," Proc., 18th International FISIIA Congress, May 5–8, 1980, Hamburg, pp. 70–76.
5. Hull, D., University of Liverpool, England, Private Communication.
6. Thornton, P. H. and Magee, C. L., *J. Eng. Mat. Tech.*, Trans. ASME, Vol. 99, (1977), pp. 114–120.
7. Magee, C. L. and Thornton, P. H., Trans. SAE, Vol. 87, (1978), Section 2, pp. 2041–55.
8. Hart-Smith, L. J., *Int. J. Mech. Sci.*, Vol. 12, (1970), pp. 299–313.
9. Timoshenko, S. P. and Gere, J. M., *Theor of Elastic Stability*, 2nd Ed., McGraw-Hill, New York, 1961.

AUTHOR INDEX

Adams, D. F., p. 457
Adibhatla, S., p. 433
Barrett, C. S., p. 260
Caprino, G., p. 395
Chang, F. K., p. 470
Choi, I., p. 244
Chon, C. T., p. 268
Chou, Tsu-Wei, p. 162, 371
Cohen, G. A., p. 301
Crossman, F. W., p. 188
Ditcher, A. K., p. 228
Edge, E. C., p. 285
Edwards, P. J., p. 521
Fanucci, J. P., p. 94
Flaggs, D. L., p. 103
Fukuda, H., p. 371
Gradin, P. A., p. 448
Gruber, M. B., p. 162
Herakovich, C. T., p. 216
Hoff, N. J., p. 301
Horgan, C. O., p. 411
Hyer, M. W., p. 318
Ishikawa, T., p. 2, 40
Joy, T., p. 53
Jurf, R. A., p. 386
Ker, E., p. 117
Kinra, V. K., p. 117
Knight, M., p. 153
Kondo, K., p. 82
Krempl, E., p. 172
Kural, M. H., p. 103
Lee, S. S., p. 20
Lee, W., p. 510
Li, P., p. 53
Loose, A. C., p. 510
Mahishi, J. M., p. 457
Mar, J. W., p. 94
Min, B. K., p. 188
Muser, C., p. 301
Niu, T. M., p. 172
Overbeeke, J. L., p. 162
Ozawa, Y., p. 423
Pao, Y. C., p. 204
Park, W. J., p. 341
Peterson, K., p. 204
Pipes, R. B., p. 386
Prassianakis, J. N., p. 65
Predecki, P., p. 260
Reddy, J. N., p. 139
Reedy, E. D., Jr., p. 495
Scott, R. A., p. 510
Sekine, H., p. 423
Shy, D., p. 204
Springer, G. S., p. 400, 470, 510
Streider, W., p. 53
Taki, T., p. 82
Tamate, O., p. 423
Tauchert, T. R., p. 433
Theocaris, P. S., p. 65
Thornton, P. H., p. 521
Tsai, Y. M., p. 358
Visconti, I. C., p. 395
Wang, S. S., p. 244
Wang, T. K., p. 20
Webber, J. P. H., p. 228
Williams, J. H., p. 20

SUBJECT INDEX

Analysis, p. 268
Angle-ply laminates, p. 216
Annealing, p. 260
Attenuation, p. 117
Automotive glass fiber composites, p. 20
Biaxial, p. 386
Biaxial properties, p. 172
Bimodular materials, p. 139
Bolted joints, p. 470
Boron/aluminum composites, p. 457, 495
Boundary layer stresses, p. 244
Boundary layer width, p. 244
Buckling, p. 301
Buoyancy material, p. 117
Close packed fiber model, p. 53
Compliance, p. 153
Composite tube, p. 268
Composite adherends, p. 268
Computer analysis, p. 301
Compression testing, p. 162
Crack growth, p. 457
Crack initiation, p. 423, 457
Crack propagation, p. 65
Cracks, p. 386
Creep, p. 188
Cross-ply carbon fiber laminates, p. 228
Cross-ply laminates, p. 318
Cure, p. 510
Damage parameter, p. 188
Diffusion, p. 82
Dispersed composites, p. 423
Ductile cracks, p. 358
Edge-bonded bodies, p. 448
Edge effects, p. 216, 228, 411
Elastic design, reinforced beam, p. 433
Elastic moduli, p. 153
Electrical conductivity, p. 53
Energy absorption, p. 521
Environmental conditioning, p. 285
Environmental Fatigue, p. 285
Epoxy, p. 82
Failure modes, p. 216
Fatigue, p. 172
Fatigue damage detection, p. 94
Fiber orientation, p. 244
Fiber reinforced composites, p. 411
Fiber reinforcement, p. 470
Filament winding, p. 268
Finite element analysis, p. 139
Finite element simulation, p. 470
First ply failure, p. 341
Flat inclusion, p. 423
Flight, p. 285
Fracture, p. 103, 386, 423, 448
Frequency effects, p. 285
GR/epoxy composites, p. 172
Glass/Kevlar, p. 162
Graphite, p. 82, 386
Graphite-aluminum, p. 188
Graphite/epoxy composite, p. 53, 103, 260, 341
Elastic end effects, p. 411
Extended end effects, p. 411
Highly anisotropic materials, p. 411
Humidity, p. 260
Hybrids, p. 162, 371
Hygroscopic environment, p. 244
Interface, p. 2
Interface axial shear stresses, p. 204
Interlaminar, p. 386
Lamina, p. 103, 411
Laminated, p. 139
Laminate design, p. 341
Laminated materials, p. 470
Laminated plates, p. 301
Longitudinal and shear waves, p. 117
Macroscopic failure, p. 2
Mechanical test methods, p. 172
Metal matrix composites, p. 188
Microscopic stress criteria, p. 2
Moire interferometry, p. 94
Moisture gradients, p. 285
Monte Carlo simulation, p. 371
Natural weathering, p. 285
Nondestructive evaluation, glass fiber composites, p. 20
Nonlinear effects, p. 318
Optimal design, p. 341
Orthotropic laminates, p. 395
Particulate composite, p. 117
Ply orientation, p. 341
Ply thickness, p. 244
Random array, p. 82
Random lattice of resistors, p. 53
Reinforced beam design, p. 433
Reinforcement, p. 162
Residual strains, p. 318
Residual stress, p. 188
Resin flow, p. 510
Resin flow, during cure, p. 400
Saint-Venant's principle, p. 411
Singular stress field, p. 423
Square lattice fiber model, p. 53
Stability, p. 318
Static properties, p. 172
Strength, p. 103, 216, 371
Stress concentration, p. 371
Stress concentration factors, p. 313
Stresses, residual, p. 260
Stress singularity and Intensity Factors, p. 244
Tension compression, p. 172
Testing, p. 153
Test method, p. 162
Thermal effects, p. 318
Thermal residue stress, p. 2
Thickness effects, p. 216
Time dependence, p. 172
Torsion, p. 268
Transient response, p. 139
Transverse shear deformation, p. 301
Tubular lap joint, p. 268
Ultrasonic spectroscopy, p. 117
Unidirectional composites, p. 2, 40
Unsymmetric laminates, p. 318
X-Ray diffraction, p. 260